

Certificate of Product Approval

Certificate Number: 1454b

Issue: 06

Heras Perimeter Protection Ltd

Herons Way
Carr Hill Industrial Estate
Balby
Doncaster
DN4 8WA

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Zenith SR3
security fencing systems

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 May 2021
Date of Issue

9 February 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1454b Heras Perimeter Protection Ltd

Issue: 06

Security Fencing Systems

Product Name	Type	Nominal Height (m)	Maximum Post Centres (m)	Maximum Gradients ¹	Angles In Fence Line ²	Security Rating	LPCB ref. No.
Zenith SR3	Welded mesh security fencing system	3.0	2.932	0°	90°, 180° and 270°	3	1454b/02

Approved Assembly and Installation Drawings

Document Ref.	Revision / Issue Date	Title / Contents
A07000-B	B 09/02/17	3.0 m high Zenith double skin panel assembly detail
A07001-B	B 09/02/17	3.0 m high Zenith double skin panel assembly detail (buried mesh)
SR3_fe_001-A	A 22/01/18	Heras SR3 fence system 3.0 m high in ground spec specification detail
SR3_fe_002-A	A 22/01/18	Heras SR3 fence system 3.0 m high baseplated spec specification detail

Notes:

1. The fencing system is only approved for installation into flat level ground.
2. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack faces of two adjacent fence posts.
3. The fencing system should only be constructed using components supplied by Heras Perimeter Protection Ltd.
4. It is important to ensure the local ground onto/into which the fence is installed offers compatible strength.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 May 2021
Date of Issue

9 February 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

