

# Declaration of Performance

**Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration**

DoP No: UKCA-DOP-2020.02-00

**Product type** - Producttype - Produkttyp - Type de produit - Produkttyp - Produkttype - Produkttype

Turnstile - Tourniquet - Drehkreuz - Tourniquet - Rotationsgrind - Rotasjonsgrind - Drejekors

**Identification code** - Identificatiecode - Kenncode - Code d'identification - Identifikationskod - Identifikasjonskode - Identifikationskode

B700

**Serial number** - Serienummer - Serienummer - Numéro de type - Serienummer - Serienummer - Serienummer

n/a

**Intended use** - Beoogd gebruik - Vorgesehener Verwendungszweck - Usage prévu - Avsedd användning - Tiltenkt bruk - Tilsigtet brug

The turnstile is intended to control access to a specific plot, premises or site.  
De tourniquet is bedoeld om de toegang tot een specifiek(e) terrein, ruimte of locatie te regelen.  
Das Drehkreuz dient der Zugangskontrolle zu einem bestimmten Grundstück, Gelände oder Standort.  
Le tourniquet est destiné à contrôler l'accès à un terrain, local ou site spécifique.  
Rotationsgrinderna är avsedd för passagereglering av persontrafik till specifika (arbets)platser, tomter eller områden.  
Rotasjonsgrindens formål er å kontrollere tilgang til et bestemt areal, lokale eller område.  
Drejekorsets formål er adgangskontrol til et bestemt areal, lokaler eller sted.

**Contact address manufacturer** - Contactgegevens fabrikant - Kontaktanschrift des Herstellers - Adresse de contact du fabricant - Tillverkarens kontaktadress - Tillverkarens kontaktadress - Kontaktadresse fabrikant

Heras B.V. - Hekdam 1 - 5688JE Oirschot - Netherlands  
Heras UK - Herons Way - Doncaster, DN4 8WA South Yorkshire - UK

**System of assessment and verification of constancy of performance**

System voor beoordeling en verificatie van de prestatiebestendigheid  
System zur Bewertung und Überprüfung der Leistungsbeständigkeit  
Système d'évaluation et de vérification de la constance des performances  
System för bedömning och fortlöpande kontroll av byggprodukternas prestanda  
System for vurdering og verifisering av prestasjonsbestandighet  
System til vurdering og kontrol af ydeevnens konstans

System 4 - System 4 - System 4 - Système 4 - System 4 - System 4 - System 4

**Report number** - Rapportnummer - Reportnummer - Numéro de rapport - Rapportnummer - Rapportnummer - Rapportnummer

Test Report B700 v1.0

# Declaration of Performance

**Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration**

DoP No: UKCA-DOP-2020.02-00

**Identification number notified body** - Nummer van de controle instantie - Kennnummer der notifizierten Stelle - Numéro d'identification de l'organisme notifié - Det anmälda organets identifikationsnummer Kontrollinstansens nummer - Identifikationsnummer bemyndiget organ

n/a

**Harmonised standard** - Geharmoniseerde norm - Harmonisierte Norm - Norme harmonisée - Harmoniserad standard - Harmonisert standard - Harmoniseret standard

EN 13241:2003+A2:2016

<b>Declared performance</b> Aangegeven prestaties Erklärte Leistung Performances déclarées Prestanda som intygas Angitte prestasjoner Deklareret ydeevne	<b>Essential characteristics</b> Essentiële kenmerken Wesentliche Merkmale Caractéristiques essentielles Väsentliga egenskaper Grunnleggende kjennetegn Väsentlige egenskaber	<b>Performance</b> Prestaties Leistung Performances Prestanda Prestasjoner Ydeevne	<b>Requirements</b> Eisen Anforderungen Exigences Krav Krav Krav
	Watertightness	NPD	4.4.1
	Release of dangerous substances	NPD	4.2.9
	Resistance to wind load	NPD	4.4.3
	Thermal resistance (where relevant)	NPD	4.4.5
	Air permeability	NPD	4.4.6
	Safe opening (for vertically moving doors)	NPD	4.2.8
	Definition of geometry of glass	NPD	4.2.5
	Mechanical resistance and stability	PASS	4.2.3
	Operating forces (for power operated doors)	NPD	4.3.3
	Durability of watertightness, thermal resistance and air permeability against degradation	NPD	4.4.7

**Signed by**  
Ondertekend door  
Unterzeichnet von  
Signé par  
Undertecknad av  
Undertegnet av  
Underskrevet af

Gilles Rabot  
Chief Executive Officer  
Oirschot  
27-05-2021

# Declaration of Performance

Prestatieverklaring - Leistungserklärung - Déclaration des performances Prestandadeklaration - Ytelseserklæring - Ydeevnedeklaration

DoP No: UKCA-DOP-2020.02-00

**Assessed products** - Beoordeelde producten - Bewertete Produkte - Produits évalués - Produkter som bedömts - Vurderes produkter - Vurderede produkter

## B700

Technical data	Version: Type: Control unit: Power supply:	Manual operated. Electric lock function Straight, Trombone n/a Phase 110-240VAC
	Height total: Height opening: Width total:	2317mm 2080mm 1360mm